
USSN: NEW Atty. Dkt. # 29926/39502 Title: Method for Isolating Hybrid Device in Image Sensor Applicant: Lee Fig. 1 (Sheet 1 of 5)

## FIG. 1 (PRIOR ART)



AREA: PERIMETER

25:15 ⇒5:3

AREA: PERIMETER

16:12⇒4:3

AREA: PERIMETER

9:9⇒1:1

USSN: NEW Atty. Dkt. # 29926/39502 Title: Method for Isolating Hybrid Device in

Image Sensor Applicant: Lee Figs. 2A & 2B (Sheet 2 of 5)

FIG. 2A





FIG. 2B



USSN: NEW Atty. Dkt. # 29926/39502 Title: Method for Isolating Hybrid Device in Image Sensor Applicant: Lee Figs. 2C & 2D (Sheet 3 of 5)

FIG. 2C






FIG. 2D



USSN: NEW Atty. Dkt. # 29926/39502 Title: Method for Isolating Hybrid Device in Image Sensor Applicant: Lee Fig. 3 (Sheet 4 of 5)

FIG. 3



USSN: NEW Atty. Dkt. # 29926/39502 Title: Method for Isolating Hybrid Device in Image Sensor Applicant: Lee Figs. 4A & 4B (Sheet 5 of 5)

FIG. 4A




FIG. 4B

